

L Number	Hits	Search Text	DB	Time stamp
1	4	pixel near10 (amorphous polycrystal\$4) near10 transparent near10 thick\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 11:00
2	40481	(material for pixel electrode of LCD and etching method thereof).ti. and (amorphous polycrystal\$4) and thick\$4	USPAT; US-PGPUB	2004/08/12 11:04
3	40	pixel near10 (amorphous polycrystal\$4) near10 thick\$4	USPAT; US-PGPUB	2004/08/12 11:05
163	11	(amorphous or polycrystal) near10 galvanic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 11:41
164	4	((pixel with (amorphous or polycrystal)) near10 thick\$5) and (thermal\$4 or temperature) and (H2 or hydrogen or H2O or water) and (liquid adj crystal) and pad	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 12:19
165	4	((pixel near10 (amorphous or polycrystal)) near10 thick\$5) and (thermal\$4 or temperature) and (H2 or hydrogen or H2O or water) and (liquid adj crystal) and pad	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 12:20
166	81	((pixel near10 (amorphous or polycrystal)) and thick\$5) and (thermal\$4 or temperature) and (H2 or hydrogen or H2O or water) and (liquid adj crystal) and pad	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 14:34
167	2	6081308.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 14:38
168	3	6337520.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 14:38
-	1056	349/43	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 16:23
-	1211	349/143	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 08:48
-	669	349/187	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 08:49
-	1545	pixel with (amorphous or polycrystal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 08:50
-	1059	(pixel with (amorphous or polycrystal)) and thick\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 08:50
-	744	(pixel with (amorphous or polycrystal)) and thick\$5 and (thermal\$4 or temperature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 08:55

-	0	(pixel with (amorphous or polycrystal)) and (thick\$5 with galvanic) and (thermal\$4 or temperature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 08:56
-	412	(pixel with (amorphous or polycrystal)) and thick\$5 and (thermal\$4 or temperature) and (H2 or hydrogen or H2O or water)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 08:59
-	367	(pixel with (amorphous or polycrystal)) and thick\$5 and (thermal\$4 or temperature) and (H2 or hydrogen or H2O or water) and (liquid adj crystal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 09:00
-	90	(pixel with (amorphous or polycrystal)) and thick\$5 and (thermal\$4 or temperature) and (H2 or hydrogen or H2O or water) and (liquid adj crystal) and pad	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 12:18
-	186	(pixel with (amorphous or polycrystal))and 349/43	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 15:55
-	153	(pixel with (amorphous or polycrystal))and 349/43 and thick\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 10:59
-	47	(pixel with (amorphous or polycrystal))and 349/143 and thick\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/23 17:48
-	26	(pixel with (amorphous or polycrystal))and 349/187 and thick\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 10:59
-	410	(pixel with (amorphous or polycrystal))and 349/\$.ccls. and thick\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 10:59
-	891	(pixel with (amorphous or polycrystal))and (liquid adj crystal) and thick\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 11:00
-	43	(pixel with (amorphous or polycrystal) with (ITO or IZO))and (liquid adj crystal) and (pixel with thick\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/23 17:55
-	1	(pixel with (amorphous or polycrystal))and (liquid adj crystal) and (pixel with thick\$4) and US-20010010370-A1.DID.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 15:50
-	1	(pixel with (amorphous or polycrystal))and (liquid adj crystal) and (pixel with thick\$4) and (US-20010019376-A1.DID. and ((pixel with (amorphous or polycrystal) with (ITO or IZO))and (liquid adj crystal) and (pixel with thick\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 15:51
-	1	(pixel with (amorphous or polycrystal))and (liquid adj crystal) and (pixel with thick\$4) and US-20010019376-A1.DID.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 15:51

-	2	(pixel with (amorphous or polycrystal)) and (thick\$5 same galvanic) and (thermal\$4 or temperature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 15:37
-	324	(pixel with (amorphous or polycrystal))and (liquid adj crystal) and (pixel with thick\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:06
-	18	(pixel with polycrystal)and (liquid adj crystal) and (pixel with thick\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:07
-	45	((pixel with amorphous) with (ITO or IZO))and (liquid adj crystal) and (pixel with thick\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/23 15:03
-	66	(pixel with (amorphous))and 349/143	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/23 17:48
-	137	(pixel with (amorphous) with (ITO or IZO))and (liquid adj crystal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/23 17:56
-	691253	(material for pixel electrode of LCD and etching method thereof).ti.	USPAT; US-PGPUB	2003/07/24 09:02
-	31568	(material for pixel electrode of LCD and etching method thereof).ti. and amorphous	USPAT; US-PGPUB	2003/07/24 09:14
-	234	(material for pixel electrode of LCD and etching method thereof).ti. and amorphous and IZO and ITO	USPAT; US-PGPUB	2004/08/12 11:03
-	23	(material for pixel electrode of LCD and etching method thereof).ti. and amorphous and IZO and ITO and LG.as.	USPAT; US-PGPUB	2004/03/15 15:35
-	1	20020085142.pn.	US-PGPUB	2003/12/05 16:23
-	236	(pixel with (amorphous or polycrystal))and 349/43	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 15:56
-	236	(pixel with (amorphous or polycrystal))and 349/43	USPAT; US-PGPUB; JPO	2003/12/08 15:56
-	70	(pixel with (amorphous or polycrystal))and 349/143	USPAT; US-PGPUB; JPO	2003/12/08 15:56
-	39	(pixel with (amorphous or polycrystal))and 349/187	USPAT; US-PGPUB; JPO	2003/12/08 15:56
-	349	(material for pixel electrode of LCD and etching method thereof).ti. and amorphous and IZO and ITO	USPAT; US-PGPUB; JPO	2004/03/15 15:36
-	0	((pixel with (amorphous or polycrystal)) near10 galvanic) and (Drain near10 single)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 15:39
-	2	((pixel with (amorphous or polycrystal)) and galvanic) and (Drain near10 single)	USPAT; US-PGPUB; JPO	2004/03/15 15:39
-	2	((pixel with (amorphous or polycrystal)) and galvanic) and (Drain with single)	USPAT; US-PGPUB; JPO	2004/03/15 15:55
-	2	((pixel near10 (amorphous or polycrystal)) and galvanic) and (Drain with single)	USPAT; US-PGPUB; JPO	2004/03/15 15:57

-	2	((pixel near10 (amorphous or polycrystal)) and galvanic) and (Drain near10 single)	USPAT; US-PGPUB; JPO	2004/03/15 15:57
-	2	(pixel near10 (amorphous or polycrystal)) and galvanic and (Drain near10 single)	USPAT; US-PGPUB; JPO	2004/03/15 15:58
-	86	(pixel near10 (amorphous or polycrystal)) and (Drain near10 single)	USPAT; US-PGPUB; JPO	2004/03/15 16:22
-	6	(pixel and (amorphous or polycrystal)) and (Drain near10 single) and galvanic	USPAT; US-PGPUB; JPO	2004/03/15 16:13
-	1	(pixel and (amorphous near10 conduct\$4)) and (Drain near10 single) and galvanic	USPAT; US-PGPUB; JPO	2004/03/15 16:15
-	0	(pixel near (amorphous near10 conduct\$4)) and (Drain near10 single) and galvanic	USPAT; US-PGPUB; JPO	2004/03/15 16:15
-	80	(pixel near10 (amorphous)) and (Drain near10 single)	USPAT; US-PGPUB; JPO	2004/03/15 16:57
-	2	(pixel near10 (amorphous)) and (Drain near10 single) and galvanic	USPAT; US-PGPUB; JPO	2004/03/15 16:23
-	0	(pixel near10 (amorphous adj transparent)) and (Drain near10 single)	USPAT; US-PGPUB; JPO	2004/03/15 16:58
-	1	(pixel same (amorphous adj transparent)) and (Drain near10 single)	USPAT; US-PGPUB; JPO	2004/03/15 17:13
-	0	(pixel near10 (amorphous adj transparent)) and (Drain near10 single)	USPAT; US-PGPUB; JPO	2004/03/15 17:14
-	1	(pixel and (amorphous adj transparent)) and (Drain near10 single)	USPAT; US-PGPUB; JPO	2004/03/15 17:34
-	41	(pixel and (amorphous near10 transparent)) and (Drain near10 single)	USPAT; US-PGPUB; JPO	2004/03/15 17:45
-	4901	amorphous near10 transparent	USPAT; US-PGPUB; JPO	2004/08/12 10:58
-	0	(pixel near10 (amorphous near2 transparent)) and (Drain near10 single)	USPAT; US-PGPUB; JPO	2004/03/15 17:45
-	196	amorphous near2 ITO	USPAT; US-PGPUB; JPO	2004/03/15 17:46
-	76	(amorphous near2 ITO) and pixel	USPAT; US-PGPUB; JPO	2004/03/15 17:53
-	1	5105291.pn.	USPAT; US-PGPUB; JPO	2004/03/15 17:53
-	1	6682658.pn.	USPAT	2004/08/05 18:04
-	0	JP2000-095436.ap.	JPO	2004/08/05 18:06
-	0	JP095436.ap.	JPO	2004/08/05 18:33
-	0	(amorphous polycrystal\$4) near10 thick\$4 near10 galvanic near10 stripper	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 18:35
-	7	(pixel near10 (amorphous or polycrystal)) and galvanic	USPAT; US-PGPUB; JPO	2004/08/06 09:20
-	7	(pixel near10 (amorphous or polycrystal)) and galvanic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 11:05

-	11	(amorphous or polycrystal) near10 galvanic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/08/12 11:41
-	22	("3486217" "4009947" "4643518" "4963012" "4965121" "5019458" "5143796" "5215832" "5216551" "5344718" "5361172" "5377045" "5424876" "5514476" "5521765" "5548440" "5557462" "5563734" "5583704" "5699188" "5751474" "5789847") .PN.		2004/08/06 11:19